SUBJECT INDEX

A

Acanthiophilus, 105
Aceodromus, 402
Acerentomon, 432
Acheta domesticus, 152-53
Achroia grisella, 59, 65, 70-71, 74, 76
Acoustic
  communication, 152
  mimicry, 68
  sense cells, 61, 63-64
  sensilla, 410
Acrotomus succinctus, 279
Action potentials, 40, 42, 49-50, 53-54, 62, 64, 160-61, 163
Acyrthosiphon pisum, 372
Adalia bipunctata, 323
Adaptations
  of phoretic mites, 400-4
  and systematics, 281-82
Adaptive radiation, 114-15
Adscita, 105
Aedes, 170, 280
  aegypti, 153-54, 159, 310
  caballus, 171
  circumluteolus, 171
  lineatopennis, 171, 177
Aethus indicus, 221
Agapanthia, 106, 115
  cardui, 115
  dahli, 115
Agapeta, 108
Agriotypus armatus, 453
Agrotis
  fucosa, 70
  segetum, 63
Agrypon flaveolutum, 453
Alaptus, 452, 459
Alcaeorrhynchus, 220
Aletia, 409
Aleurocanthus woglumi, 283, 367, 453
Alicorhagia, 423
Alliphis, 423
Allodinychus flagellier, 399
Allomones, 211, 405
Altica, 106, 108
Alycus, 423
Alydus, 213
Amblycheila, 128, 135
Amblyseius, 244, 254, 256, 258-59, 423
  cucumeris, 247, 249, 253, 255, 257
  mckenziei, 247, 255
Ambush bugs, 221-22
Ameletus, 519, 522
American cockroach, 156, 159-60
Ametropus ammophilus, 516
Amonostherium, 423
Amphibolips confluens, 479
Anagasta kuehniella, 64, 407
Anagrus, 453
  delicatus, 452
  epos, 453, 460
Andricus, 471
  palustris, 479
  quercusalicis, 472, 474
Anisopteromalus, 451
Anopheles, 343
  crucians, 502
  cruzii, 170
  maculipennis, 159, 285
  sinensis, 500
Anotylus, 423
Antennequesoma, 401
Antennophorus
  donisthorpei, 404, 406-7
  grandis, 404
Antheraea polyphemus, 160
Anthocoris
  nemoralis, 371, 381
  nemorum, 371
Anthrax, 136-37
Ants
  and Heteroptera, 224, 226-27
  and phoretic mites, 395, 398, 401, 404, 407
Anychiurus armatus, 432
Anystis ailis, 379
Aonidiella aurantii, 283, 376, 452-53
Apanteles, 454
  euphydryidis, 453, 457
  fumiferanae, 452-53
  hyphantriae, 453
  melanoscelus, 459
  tedella, 453, 457
Apateticus, 220
Aphelinus, 450
Aphidius matricariae, 381
Aphidoletes aphidimyza, 244, 248, 259
Aphids
  and galls, 325
  and insecticides, 156-58
  and IPM, 246, 248, 253
  and natural enemies, 371-73, 377, 381
  and thistles, 108
Aphis
  fabae, 371, 377
  gossypii, 248
Aphomia sociella, 71
Aphytis, 284, 289, 454
  maculicornis, 284, 369, 376
  melinus, 452-53, 461
  paramaculicornis, 284, 376, 452-53, 461
Apiomerus, 227
Apis, 405
  mellifera, 154-56, 300, 310
  mellifera carnica, 405
Aposematic coloration, 227
Arctiids
  and hearing, 62-63, 67
Arctoseius cetratus, 400
Arebius, *423*
Argyon flaveolatum, 369
Arilus
  carinatus, 222
  cristatus, 222
Armadillidium, 304
Armaturopoda coriacea, 399
Arrenurus, 490-95, 499-500, 504
  danbyensus, 490, 502
  fimbriatus, 494
  madarazi, 500
Asca, 423
Aspidiotiphagus citrinus, 453
Assassin bugs, 221-22, 229
Asteromyia, 470
  carbonifera, 452-53, 476
ATPase, 45
Attractides, 489, 491
  nodipalpis, 492
Autogeny, 176
Axons, 3, 41, 45, 48-49, 53, 64, 160, 163

B

Bacillus thuringiensis, 244, 249, 348
Backswimmers, 224
Baetis, 517, 520
Bakerdania, 423
Bangasternus, 105, 108, 115
Baris cirsii, 108
Bark beetles
  and phoretic mites, 393, 395, 398, 402-3, 407-9
Battus philenor, 326
Bed bug, 222
Bees
  and insecticides, 154-56
Beet armyworm, 375
Beet leafhopper, 283
Behavior
  of *Choristoneura*, 83-101
  and insecticides, 149-68

and pheromones, 83-95
of tiger beetles, 131-35
Behavioral ecology, 319-35
Behningia, 517, 521
Bembidion, 423
Bemesia tabaci, 381
Biogeography
of thistle insects, 107-9, 111
of tiger beetles, 124-25
Biological control
and experimental methods, 367-91
in greenhouses, 239-69
of thistle insects, 103, 111, 117
Biosynthesis
of lipophorin, 300-2
Biotypes
of thistle insects, 111-13
Black bean aphid, 371
Black flies, 337-66
Black pineleaf scale, 376
Black scale, 371
Blattisocius, 288, 402
Blepharidopterus angulatus, 453
Boll weevil, 159
Bombus, 405
Boophilus microplus, 156-57
Boxelder bug, 216
Brachycaudus, 108
Bracon mellitor, 156
Brochymena, 220, 228
Bruchidius, 105
Buenoa scimitra, 501
Bumble bees
and phoretic mites, 400
Burrower bugs, 221

C

Cabbage looper, 151-52, 157, 163, 375
Cabbage root fly, 373
Caddisflies
and systematics, 280, 287
Caenis, 521
Cage experiments, 369-75, 383
California red scale, 376, 454
Callibaetis ferrugineus, 511
Calling song, 152
Calliphora, 4
Campaniform sensilla, 39-44, 48-50
and insecticides, 160
Campodea, 423
Camponotus vagus, 405
Campsurus, 517
Capitophorus, 108
Carbamates and behavior, 162
Carbaryl, 152-53, 162
Carbofuran, 161-62
Cardiac glycosides, 217
Carpenter bees and phoretic mites, 402
Cassida, 106, 108
rubiginosa, 108
vibex, 108
Cenocorixa
bifida, 497-98, 500-3
expleta, 500, 503
Cephaloleia consanguinea, 452
Ceraclea, 287
Ceratapion, 106
Ceratozetes, 423
Cerceris arenaria, 403
Cercoleipus coelonotus, 405, 407, 409
Cereal leaf beetle, 283
Ceriocera, 105, 116
Ceroplastes floridensis, 284
Ceutorhynchus, 108
Chacoela iphitalis, 453
Chaetorellia, 104-5, 108, 116
Chaetostomella, 105, 108, 116-17
Cheiloxya, 135
binotata, 132
Chemical ecology
of Heteroptera, 211-38
Chlordimeform, 152, 156-58, 162-63
Chlorinated hydrocarbons
and behavior, 159-60
Chordotonal organs, 39, 43-44
Chordotonal sensilla, 40-41, 43-44, 50-51
Choristoneura, 83-101
biennis, 84-89
carnana, 85, 88-89
carnana californica, 85, 87
fumiferana, 83-95, 98, 204
lambertiana, 85
lambertiana ponderosana, 85
lambertiana subretiniana, 85, 88-89
occidentalis, 83, 85, 87-89, 92-94, 96-98
orae, 85, 87-89
pinus, 85-86, 88-89, 95
retiniana, 83, 85, 88-89, 96-97
Chrysodeixis chalcites, 246, 248-49
Chrysogramma gemma, 452-53
Chrysoperla carnea, 373, 375
Chrysoraris pubicornis, 452
Cicindela, 124-26, 128, 135, 137
belfragei, 135
campestris, 128-29, 131
circumpicta, 129, 137
horni, 135
hybrida, 131
japonica, 135, 137-38
litorea, 135
marutha, 133, 135
obsoleta, 131
ocellata, 128
octoguttata, 140
oregona, 130
pilatei, 135
pulchra, 137
purpurea, 136
repanda, 130-31, 138
sedecimpunctata, 135
sexpunctata, 127, 140
sumatrensis, 135
togata, 129
trifasciata, 135
westermanni, 137
willistoni, 134
xanthophila, 133
Cilia
and sensilla, 41, 50-52
Cimex lectularius, 222
Circocylliba, 401
Circulifer tenellus, 283
Citrus blackfly, 367
Citrus red mite, 374
Cleonus, 108
Closterocerus cinctipennis, 452
Cnephia pachecolunai, 342
Coccinella punctata, 372
Coccophagoides utilis, 369, 376, 453, 461
Cochylis, 105
Cockroaches
and insecticides, 156-57, 159-60, 163
and lipid transport, 306
and phoretic mites, 396, 404-5
Cocorhagidia, 423
Coevolution
and systematics, 285
of thistle insects, 104, 118
Coffee mealybug, 283
Colchicine, 52
Coleolaelaps, 407
Colias, 326
Collyris, 126
Coloburiscus, 519
Colorado potato beetle, 193
Communication
and behavioral ecology, 321, 328-29
and insecticides, 154
of moths, 59-81
Community ecology
and behavior, 329
Community structure
of gall makers, 476-78
of water mites, 495-99, 503-4
Comperiella bifasciata, 453
Competition
and behavioral ecology, 321-22
and gall makers, 474-75, 477

and systematics, 286-87
and tiger beetles, 138-39
Compsilura concinnata, 453
Computers and IPM, 20
Condylodera tricondyloides, 138
Conomelus anceps, 380
Contarinia medicaginis, 474
Copium, 224
Copris hispanus, 403-6
Coprolaelaps caputmedusae, 404
Coquillettidia
perturbans, 501-2
venezuelensis, 171
Corcyra cephalonica, 66, 70-76
Cosmolaelaps trifidus, 400
Cotesia melanoscela, 453
Cotton bollworm, 373
Cotton seed bug, 218
Cotton stainer, 216, 218, 229
Cottonycushion scale, 265, 283, 367, 369
Coxequesoma, 401
Crickets and insecticides, 152, 162
Cryptochetum iceryae, 369
Cryptoripersia, 423
Ctenostoma, 131
Culex, 170-71, 343
antennatus, 170
rubenotus, 170
theileri, 171
Culicoides, 171, 173
Cultural control
in greenhouses, 240, 249
Cyclodienes and behavior, 159-60
Cycnia tenera, 62-63
Cymatia coleoptrata, 494, 500
Cypermethrin, 158
Cyrtorhinus fulvus, 377
Cyta, 423
latirostris, 422
Cyzenis, 456-57, 460-61
albicans, 369, 453

D

Dacnusa sibirica, 253-55, 257-58
Dactynotus, 105
Damson-hops aphid, 371
Danaus plexippus, 189-90, 328
Daphnephila, 471
machililoca, 472
DDT
and behavior, 153-54, 160-61
and lipoproteins, 312
and onchocerciasis, 347-48
Decamethrin, 159
Defenses
of Heteroptera, 226-28
of moths, 59-81
origins of, 69
Demethylchlordimeform, 157
Dendrites, 39-45, 53-54
Dendrolaelaps neodisetus, 407
Density dependence
in parasitoids, 441-66
Diadegma, 453-54
Diastrophus kincaidii, 476
Diatraea grandiosella, 300-1
Diazinon, 154, 161
Dicrocheles, 402, 404
phalaenodectes, 67, 404, 409-10
scedastes, 67, 409-10
Dieldrin, 152-53, 162, 348
Digamasellus
fallax, 400
quadrisetus, 407
Diglyphus isaea, 253-55, 258
Dimmockia, 453
Dinogamasus, 402-3, 407-8
Dinorhynchus, 220
Dioryctria, 402
Dipetalogaster maximus, 222
Diplolepis, 470
Dispersal
behavior, 157-58
and behavioral ecology, 328
of onchocerciasis, 346-47, 349-50, 353-54, 357
of phoretic mites, 400
of tiger beetles, 135
Distantiella, 224
Dolania, 517, 520
americana, 511, 517
Drosophila, 310-11
melanogaster, 1-15, 154, 311, 324
Drunella, 522
Dysdercus, 216-17
cingulatus, 216-17
fasciatus, 217
intermedius, 216-17
koenigii, 217, 229
similis, 217
superstitiosus, 217

E

Ear mites, 67
Ecdysis, 301, 303, 510
Ecdysone, 301-3
Echinomegistus wheeleri, 407
Ecology and behavior, 319-35
Economic thresholds, 23-24, 33
Elasmus polistis, 453
Eldana sacharina, 71
Embryogenesis, 4-5, 8
Empyreuma pugione, 62
Encapsulation, 312
Encarsia, 455, 459
formosa, 242-50, 253-59
lutea, 381
opulenta, 453
Encina, 116
Encoding of mechanical stimuli, 50, 53-55
Encyrtus salilens, 157
Endosulfan, 153-54
Eosentomon, 432
Ephemera, 521
Ephemerella, 522
Ephoron, 517
album, 516-17
leukon, 515
Epiblema, 116
Epinotia tedellae, 453, 457
Epipemphigus, 475
Eremobates, 304
Eretmapodites chrysogaster, 171
Eretmocerus mundus, 381
Eriococcus, 423
Erioischia brassicae, 373
Eriophyes cladophthirus, 483
Erythroneura, 285
lawsoni, 286
Eucosma, 105, 116
cana, 107
Euphydryas, 457
phaeton, 453
Eupodes, 423
Eupteryx cyclops, 453
Euribia jaceana, 453
European corn borer, 64, 372, 374
Eurosta, 471
solidaginis, 472-73, 476, 480
Eurydema, 219
Eurygaster integriceps, 221, 230
Eurypeima californicum, 304
Eurytoma, 117
curta, 453
gigantea, 476
Eusisyropa blanda, 453
Eustenopus, 105
Eustigmaeus, 424
Euthyrhynchus, 220
Euura, 470, 472, 476
lasiolepis, 476-77
Euvarroa sinhai, 395
Euzercon latus, 404
Eviphis, 423
Evolution
of lipoproteins, 304-05
and systematics, 272, 275-76
of thistle insects, 109-15
of water mites, 488-90
Exidechthis, 450
Extension services, 17-20, 22, 25-28, 32-33
Eylais, 493-94, 500, 502
discreta, 494
euryhalina, 491, 497-98, 500-3

F

Fasciculins, 4
Fat body, 299-303, 309, 311
Fatty acids, 90-93
Faunistics, 277
Feeding
  and insecticides, 153-57
Feltria romijni, 492
Fenvalerate, 158
Fig wasps, 285
Fiorinia externa, 453
Fireflies, 162, 322, 327
Fitness, 320
Flight
  boundary layer, 185
  of *Choristoneura*, 84, 93-95, 98
  and insecticides, 162
  and lipids, 302, 307-9
  of mayfly subimagos, 512-14
  muscles, 161
  and phoretic load, 406
  reflex, 161
  of sand flies, 175
  of tiger beetles, 129-30, 134
Folsomia, 423
  candida, 431-32
Food web regulation, 419-39
Foraging
  and behavioral ecology, 327
  and insecticides, 154
Forficula auricularia, 371, 379
Formamidines and behavior, 162-63
Functional response, 449-51

G

Galleria mellonella, 65-66, 70-72, 75-76, 303
Gall makers, 467-86
Gall midges, 117, 470-74, 476, 479-80
Galls, 103, 107-8, 112, 115, 467-86
  of aphids, 325, 473, 475
  of Cecidomyiidae, 470-74, 476, 478, 480
  of sawflies, 470, 472, 476-77
  of Tingidae, 224
Gamasellodes, 423
Ganglia, 6
Gargaphia solani, 224
Gastrimargus africanus, 308
Gelastocoris oculatus, 225
Gene selection, 320
Genetic improvement
  of mites, 246
Genetics
  of *Drosophila*, 1-15
  of galls, 480-83
  of tiger beetles, 128-29
Geocoris
  pallens, 373, 375
  punctipes, 373
  varius, 217
Geomenotaxis, 155
Gelis, 453
German cockroach, 158
Gerris, 325
  alacris, 500-1, 503
  buenoa, 500-1
  comatus, 500-1, 503-4
Giant water bugs, 225
Glossina austeni, 153-54, 160
Glycoproteins, 4, 8
Gnorimoschema, 478
  gallaesolidaginis, 479-80
  tetradymiella, 479
Gonioctena olivacea, 379
Grapholitha molesta, 162, 279
Grasshopper migration, 186-87, 196
Greater wax moth, 65
Greenhouse whitefly, 243
Greenhouses
  cultural control in, 240, 249
Green peach aphid, 157, 381
Green rice leafhopper, 378
Gromphadorhina portentosa, 396
Grower education programs, 26-27
Gryllus, 40
Guilds
  and systematics, 285
  of thistle insects, 103, 105, 110, 115-18
Gypsy moth, 191, 194, 200, 289, 456-59

H

Habitats
  of gall makers, 473-74
  of mayfly subimagos, 518-20
  of phoretic mites, 398-99
  of water mites, 490
Haematobia irritans, 158
Hair sensilla, 39-42, 44, 50
Halyomorpha mista, 228
Harlequin bug, 219
Harpocera thoracica, 223, 230
Hawkmoths
  and hearing, 60
Heat shock proteins, 9-10
Hecatesia thyridion, 70
Heliconius, 282, 322
Heliocopris japetus, 406
Heliothis
  virescens, 373
  zea, 70, 311-13, 373, 452-53
Helopeltis, 224
Hemolymph, 299-303, 309-11, 409
Henosepilachna, 108
Heptagenia, 522
Heteroptera
  chemical ecology of, 211-38
  scent glands of, 211-38
Heterospillus, 451
Hexagenia bilineata, 518-19
Holocelaeno, 408
Holopterna allata, 213
Homeotic genes, 5-7
Homoeosoma, 116-17
  stypticellum, 116
Honey bees
  and behavioral ecology, 326
  and insecticides, 154-56
  and lipid transport, 311-12
  and phoretic mites, 395, 398, 401, 405, 407
Hoploseius, 401-2
Horn flies, 158
Host distribution
  of *Choristoneura*, 86-88
  of thistle insects, 106-7
Host-finding
  and insecticides, 153-57
Hotea gambiae, 220, 228
House cricket, 152-53
House flies
  and insecticides, 160-62
  and phoretic mites, 404
Hunteria, 402
Hyalophora cecropia, 299
Hybridization
  of *Choristoneura*, 86, 96-97
Hybridoma libraries, 1-15
Hydrachna, 492-94, 497, 500, 502
  conjecta, 492, 494, 500, 502
  cruenta, 493-94, 500
  virella, 491-92, 501
Hydrophantes
  tenuabilis, 489
  tenuipalpis, 493
Hygrobates, 489, 491
Hyphantria cunea, 453
Hypoaspis, 423
  aculeifer, 399
Hypogastura, 423
Hyposoter
  fugitivus, 453
  pilosulus, 453
Hypotermalus percussor, 452

I

Icerya purchasi, 265, 283, 367, 369
Ilyocoris cimicoides, 225
Imaginal discs, 2
  of *Drosophila*, 7-10
Immunological techniques, 1-15, 169
  and lipoproteins, 306-7

and natural enemies, 378-81
Injury levels, 24
Inoculative release, 247, 249, 251
Insecticidal exclusion, 375-77, 383
Insecticides and behavior, 149-68
Integrated pest management, 368, 384-85
and behavioral ecology, 330
in greenhouses, 239-69
and legislation, 21
and marketing, 20-21, 23, 29-32
and monitoring, 23, 33
and obstacles, 23-31
and survey methods, 17-38
Inundative release, 247, 249
Ion channels, 3-4, 44
Iphiopsis, 402
Ips, 402, 407, 409
confusus, 407, 409
Ischnura posita, 503
Isocolus, 105, 108, 115
Isonychia, 519
Isotoma, 423
Isotomodes, 423
Isozyme patterns, 86-87

J

Jadera, 216, 227
Janetiella, 471, 479
Japyx, 423
Joshuella, 423
Julolaelaps, 402
Juvenile hormone, 229
and lipid transport, 302

K

Kairomones, 213, 219, 223, 375
Karlissa, 136
Kin selection, 320
Kleptoparasitism, 283

L

Lacanobia oleracea, 246-49
Lace bugs, 224
Lachlania, 521
Larch sawfly, 279
Large milkweed bug, 217
Larinodontes, 105
Larinomesius, 105
Larinus, 104-05, 108, 111, 114-17
jaceae, 111
sturnus, 111, 115
Larval water mites, 487-507
Lasioderma, 105, 116
Lasioseius
angustus, 401
frontalis, 401
polydesmophilus, 401
Lasius, 404
Latrodectus hesperus, 304
Leafhoppers
and insecticides, 156
and systematics, 285
Leafminer flies, 263
Learning and behavioral ecology, 326
Legislation and IPM, 21
Leistus pilicornis, 422
Leks, 226, 228
Lema, 106
Leptinotarsa decemlineata, 193
Leptocoris
isolata, 216
trivittatus, 216
Leptoglossus, 213, 229
oppositus, 213
phyllopus, 212
Leptophlebia, 519
Lesser wax moth, 59
Lethocerus indicus, 225
Limnesia maculata, 494
Limnochares aquatica, 489, 493, 500-1, 503
Linotetranus, 423
Lipid transport, 297-318
Lipophorin, 297-318
Lipoproteins, 297-318
biosynthesis of, 300-2
Liriomyza, 249
bryoniae, 244, 246-48, 253, 256
trifolii, 244, 246-48, 253, 256
Listronotus oregonensis, 452
Lixus, 106, 115
algirus, 115
elongatus, 115
Locusta
danica, 281
migratoria, 281, 299-300, 302, 305-9
Lucania, 409
Lumicolchicine, 52-53
Lutzomyia, 170-72, 175
anthophora, 175
flaviscutellata, 170-71, 175
gomezi, 177
longipalpus, 177
olmeca, 175
panamensis, 171
trapidoi, 170-71, 175
umbratilis, 171
ylephiletor, 170-71, 175
Lycoriella auripila, 400
Lygocoris, 224
Lygus, 223-24
hesperus, 224
lineolaris, 223, 229
Lymantria dispar, 191, 194, 200, 289, 452

M

Macrocheles, 408, 423
glaber, 408
muscaedomesticae, 400, 403-5, 408
mycotrupes, 404, 409
mycotrupetes, 404
peltotrupes, 409
pisenti, 408
rettenmeyeri, 401
Macropsidius, 275
Macrosiphum euphorbiae, 248
Manduca sexta, 156-57, 163, 299-303, 305-11, 313
Mansonia, 170
africana, 171, 501
metallica, 501
Mantica, 135
Manticora, 135
Margarodes, 423
Marketing
and IPM, 20-21, 23, 29-32
Mass production
of natural enemies, 254-55
Mating behavior
in *Choristoneura*, 84, 94-98
and insecticides, 150-53
of moths, 71, 73-76
of tiger beetles, 126, 132-33
Mating systems, 320-21
Mayetiola rigidae, 473
Mayfly subimagos, 509-20
Mechanosensilla, 39-58
Mediterranean flour moth, 64
Megacephala, 128, 135
fulgida, 130
sobrina, 136
virginica, 140
Megalotomus, 213
Megoura viciae, 259
Melichares tarsalis, 407
Melittiphisoides, 402
Melittobia chalybii, 453
Mericia ampelus, 453
Mesopsocus
immunis, 460
unipunctatus, 460
Mesostigmata-insect associations, 393-418
Metamorphosis
of *Drosophila*, 7-9
of mayflies, 509-20
Metaphycus helvolus, 371
Methocha, 136-37
Methyl parathion, 156, 159
Methylchlordimeform, 163
Metopolophium dirhodum, 372
Metzneria, 105, 108, 116

Microsomal oxidation system, 90
Microtubules, 39, 41, 43-44, 50-53
  and ionic channels, 44-46
Migration
  of aphids, 186
  and behavioral ecology, 328
  of butterflies, 185, 189-90, 198
  of grasshoppers, 186-87, 196
  of Heteroptera, 230
  of locusts, 186, 190, 195, 203
  of moths, 186, 191, 194, 196, 199-200, 204
  of planthoppers, 186, 198
  of spiders, 186, 199
  and thermal convection, 189-91
  and weather, 183-210
Milkweed bugs, 218, 223-24
Mimicry of tiger beetles, 137-38
Mineus, 220
Mites
  and food webs, 422-23, 428-30, 433-35
  genetic improvement of, 246
Mite-insect associations, 393-418, 422-23, 487-507
Molecular genetics, 1-15
Monarch butterfly, 189-90, 328
Monitoring
  and IPM, 23, 33
Monoclonal antibodies, 1-15
Mosquitoes
  and parasitic mites, 501-2
  and phleboviruses, 173
  and systematics, 289
Murgantia histrionica, 219
Musca domestica, 160-62
Muscidifurax, 284
Mutations
  of *Drosophila*, 2, 4, 8
Mycodrosophila, 401
Mycorrhizal associations, 432-33
Myzus persicae, 243, 248-49, 253, 381

N

Nabis americoferus, 373, 375
Najadicola ingens, 487
Nasonia, 450, 459
Natural enemies
  of gall makers, 475-76
  and sampling methods, 367-91
  and searching, 252
  and systematics, 282-84
Nauphoeta cinerea, 157, 396, 404
Necrophila, 409
Necrophorus, 403, 409
  humator, 403
  investigator, 403
Nemeritis, 450-51
Neocollyris, 131-32
  sarawakensis, 138
Neocypholaelaps, 402
  indica, 407
Neodiprion swanei, 452
Neohypoaspis, 402
Neolimnochares, 489
Nephotettix virescens, 378
Nervous system, 2-5
Neurogenesis, 2-5
Neuromeres, 6
Neurons, 160
Neurotoxicity, 149-68
Neurotransmitters, 164
Nezara, 219-20
  viridula, 219, 228
Niches, 426
Niesthrea louisianica, 214
Nixe, 522
  criddlei, 515
Noctuids and hearing, 60-67, 70
Nothrus biciliatus, 430
Notonecta, 225
  glauca, 381
Nucalaspis californica, 376
Nuclear proteins, 9-10
Nurse cells, 5
Nysius, 218

O

Octopamine, 163
Odontocheila, 125, 134
  mexicana, 133
Odontotaenius disjunctus, 406
Odor perception, 156
Olius fasciculatus, 304
Olive scale, 283-84, 369, 376
Olodiscus minimus, 399
Omus, 128, 135
  dejeani, 133
Onchocerciasis
  control of, 347-50, 354, 358
  vectors, 337-66
Oncopeltus fasciatus, 217-18, 229
Onychiurus
  latus, 431-32
  subtenuis, 430
Oocytes, 5
Ooencyrtus, 457
  kuwani, 452
Oogenesis, 5
Operophtera brumata, 369, 453
Opius pallipes, 253
Oplomus, 220
Oppia nitens, 430
Oppiella, 423
Optimal foraging theory, 441
Orchestes, 106
Orellia, 104-5, 107-8, 116-17
  occidentalis, 116
  ruficauda, 107, 116
Organophosphates
  and behavior, 161
Oribatula, 423
Oriental fruit moth, 162, 279
Orius minutus, 381
  tristicolor, 375
Orthezia, 423
Orthoporus ornatus, 304
Ostrinia nubilalis, 64, 372
Otopheidomenis, 402
  zalelestes, 404
Ouabain, 45
Oulema melanopus, 283
Ovary, 5
Oxycarenus hyalinipennis, 218
Oxycheila, 132

P

Pachylis laticornis, 213
Palingenia, 514
  fuliginosa, 512-13, 515, 521-22
  longicauda, 512, 514
Palloptera, 117
Panonychus
  citri, 374
  ulmi, 380
Papilio xuthus, 452
Paracantha, 108, 117
  culta, 116
  gentilis, 109
Paracopium, 224
Paraleptophlebia, 519, 522
Parameletus, 522
Parasitoids
  and density dependence, 441-66
  of Heteroptera, 227-28, 231
  of *Liriomyza*, 244, 247, 254
  of tiger beetles, 137
Parasitus, 400, 405
  coleoptratorum, 403, 406
  copridis, 399, 403, 405-6
Parathion, 152, 155-56, 162
Parlatoria oleae, 283, 369, 376, 452-53
Pea aphid, 372
Pectinophora gossypiella, 96, 151-53, 158
Pediculaster, 423
Pediobius acantha, 452
Pegomya carduorum, 108
Pelochrista, 105
Pemphigus, 473, 475
  betae, 473
  populicaulis, 473
  populitransversus, 473
Pentacomia egregia, 128, 135

Periplaneta americana, 156, 159-60, 300, 313
Permethrin, 151, 153, 158, 160-61
Perillus, 220
Peristenus, 453
Pesticide resistance, 17, 21, 23, 149, 160
Pheromones
  of *Choristoneura*, 83-101
  and communication, 95-97
  of Heteroptera, 224, 228
  and insecticides, 150-53, 162-63
  and moths, 75, 83-101
  and phoretic mites, 409
Philosamia cynthia, 299-300
Phlebotomus, 171-73
  major, 170
  papatasi, 171, 175-77
  perfiliewi, 170-71, 175-76
  perniciosus, 170-71, 175-77
Phleboviruses, 169-81
Phonotaxis, 152
Phoretic mites, 430, 487-507
Phormia, 45
  regina, 157, 160
Phorodon humuli, 371
Photinus pyralis, 327
Photomenotaxis, 155
Photoreceptors, 2-3, 12
Phyciodes mylitta, 108
Phyllophaga, 423
Phymata, 222
Phytomyza ilicis, 453
Phytophagy
  and systematics, 284-85
Phytoseiulus persimilis, 242-46, 248-49, 253-60
Picnochile, 135
Picromerus, 220
Pieris rapae, 326, 379-80
Pilogalumna, 423
Pilophorus perplexus, 223
Pimplopterus dubius, 453
Pink bollworm, 96, 151-53, 158
Pirimicarb, 246
Planococcus kenyae, 283
Planodiscus, 401
Plant defenses, 467-86
Planthoppers, 156
Platychile, 135
Plea leachi, 223
Plethogenesia papuana, 512
Plutella xylostella, 453
Podisus, 219-20, 228
  fretus, 220
  maculiventris, 219-20
Poecilochirus
  necrophori, 403, 406-09
  subterraneus, 406
Polarization, 44, 49
Polistes exclamans, 453
Pollination
  and systematics, 285, 289
Polyaspis patavinus, 401
Pontania, 470, 472
Popillia japonica, 283
Population biology
  of gall makers, 467-86
  of parasitoids, 441-66
  of water mites, 495-99, 501-03
Population ecology and behavior, 329
Porthetria dispar, 453
Potassium channels, 44-46
Predators
  of Heteroptera, 226-27
  of moths, 59-60, 62-64, 66-69, 75
  of tiger beetles, 133-34, 136-37
Prey marking, 381-82
Pristiphora erichsonii, 279
Procecidochares, 471
Proctolaelaps
  dioryctria, 402
  nauphoetae, 404-5, 409
Prodenia eridania, 63
Prokelisia marginata, 452
Prosopistoma, 521
Prospaltella
  fasciata, 289
  perniciosa, 289
Protophormia terraenovae, 154
Pseudoletia, 409
Pseudoxycheila tarsalis, 129, 137
Psithyrus, 405
Psylliodes, 108
Pterocallis alni, 381
Pterolonche, 105
Pteromalus, 476
  phycidis, 453
Pterombrus, 136-37
Ptilocerus ochraceus, 222
Pulaeus, 423
Pyralids
  and hearing, 61, 64-67, 70
Pyrethroids
  and behavior, 160-61
Pyroderces, 105
Pyrrhalta luteola, 452
Pyrrhocoris apterus, 216

R

Radicoccus, 423
Receptor
  adaptation, 49, 63
  currents, 47-50
  lymph space, 45-47
  organs, 39-58
  potentials, 47-50
Reproduction
  in Heteroptera, 228-29
  in mayflies, 517-18
Reproductive behavior
  and insecticides, 150-53
Reproductive tract, 5
Resistance
  to pesticides, 17, 21, 23, 149, 160
  to spider mites, 245
  to whiteflies, 245-46
Resource
  competition, 325
  heterogeneity, 105-6
  partitioning, 477
Reticulotermes, 423
Rhabdomeres, 3
Rhabdophaga, 471
  strobiloides, 479-80
  terminalis, 474
Rhagoletis, 326
  pomonella, 327
Rhinocyllus, 105, 108, 115
  conicus, 111, 115, 117
Rhodacarellus, 423
Rhodacarus, 423
Rhodnius prolixus, 229
Rhopalomyia californica, 452-53
Rhopalosiphum padi, 372
Rhyacionia frustrana, 452
Rhyncholimnochares, 489, 492
Rodolia cardinalis, 265, 369

S

Sabethes, 170
Saissetia oleae, 371
Sampling methods, 367-91
Sand flies, 169-81
San José scale, 289
Sawflies
  and galls, 470, 472, 476-77
Scapteriscus, 140
Scarabaeus, 408
Sceliphron assimile, 453
Scent glands
  of Heteroptera, 211-38
Schistocerca gregaria, 190
Scolopendra heros, 304
Scolopidium, 41, 43
Scutacarus, 423
Sensilla, 160, 410
Sergentomyia, 173
Sexual selection, 320-21, 323-25
Shield bugs, 220-21
Shore bugs, 226
Sibling species, 325
  and epidemiology, 337-66
Sigara
  falleni, 494
  striata, 494, 500

Silo pallipes, 453
Simulium, 337-66
  antillarum, 355
  bipunctatum, 351, 355, 357
  callidum, 341-47
  clarki, 348
  damnosum, 338, 341, 343-44, 352-53, 356, 358-59
  downsi, 342
  escomeli, 355, 357
  exiguum, 341-42, 344, 348-53, 355-59
  gonzalezi, 341-42, 344, 346, 355, 358
  guianense, 341, 351-54, 356
  haematopotum, 341-42, 344, 346, 356
  horacioi, 342
  limbatum, 348, 351, 353
  metallicum, 341-50, 353, 356, 359
  mexicanum, 342, 355
  neavei, 338, 345
  ochraceum, 341-48, 352-53, 355-56, 359
  opalinifrons, 355, 357
  oyapockense, 341, 347, 351-54, 356-57, 359
  pseudoantillarum, 351
  pulverulentum, 342
  quadrivittatum, 341, 355-58
  roraimense, 341, 351
  rorotaense, 351
  veracruzanum, 341-42, 344, 346-47
  woodi, 345
  yarzabali, 341, 351-54, 356
Sinigrin, 219
Sinophorus validus, 453
Siphlonurus, 522
  occidentalis, 511, 515
Siphloplectron, 521
Sitobion avenae, 372
Sociobiology, 319, 322-23
Sodium
  channels, 46, 53, 55
  pumps, 49, 54
Soil arthropods, 419-39
Songs, 161-62
Sound production and detection
  in arctiids, 67-68
  and insecticides, 152
  in lacewings, 60
  in mantids, 60
  in moths, 67-68, 70-78, 409
  in noctuids, 71
  in pyralids, 71-75
  in tiger beetles, 126
Southern cattle tick, 156-57
Southern pine beetle, 407
Southwestern corn borer, 301
Spatial density dependence, 441-66
Speciation
  and behavioral ecology, 325
  of *Choristoneura*, 83, 97
  of thistle insects, 110-14
Species pools, 109-10
Speleorchestes, 423
Sphaerocoris, 221
Sphaeroderma, 106, 108
Sphegigaster pallicornis, 452
Sphenoptera, 108
  jugoslavica, 114
Spider mites, 157, 242, 263
Spilostethus rivularis, 218
Spined soldier beetle, 219
Spinibdella, 423
Spodoptera, 312
  exempta, 196
  exigua, 375
Spruce budworm, 83-95, 98
Stenacron, 518, 522
Stenodes, 116
Stenonema, 518
Stephanitis pyrioides, 224
Stethorus, 375-76
Stigmaeus, 423
Stingless bees
  and phoretic mites, 402
Stink bugs, 219-20
Stiretrus, 220
Stridulation, 152
Sublethal effects of insecticides, 149-68
Survey methods
  and IPM, 17-38
Sweetpotato whitefly, 381
Syagrius fulvitarsis, 283
Symphylellina, 423
Syntonarcha iriastis, 71
Systematics
  of *Choristoneura*, 84-88
  in entomology, 271-96
  and evolution, 275-76
  and plant-insect interactions, 284-85
  of tiger beetles, 123-24

T

Tachys, 423
Tarnished plant bugs, 222, 229
Taro leafhopper, 377
Tarophagus proserpina, 377
Tarsonemus, 423
Taxodiomyia, 470
  cupressiananassa, 472
Taxomyia, 471
  taxi, 472, 474
Tectacoris diophthalmus, 221
Tectocepheus, 423
Telenomus calvus, 220
Teleogryllus oceanicus, 325
Tephritis, 105, 108, 115-16
  conura, 112-15, 117
Terellia, 105, 114
Termites and phoretic mites, 396
Terpenes, 221
Tetradecenols, 88
Tetramethrin, 161
Tetranychus urticae, 157, 242, 246, 248-49, 253, 256, 375-76
Tetrastichus, 452
  ceroplastae, 284
  ceroplastophilus, 284
  fumipennis, 453
  galleruceae, 452
  sylvaticus, 452
  tesserus, 452
Tetrodotoxin, 49, 53
Thasus acutangulus, 308
Thecophora fovea, 71
Therion sassacus, 453
Thinoseius brevisternalis, 407
Thistle insects, 103-22
  biotypes of, 111-13
Thrips tabaci, 243, 248-49, 253
Thyas barbigera, 492
Tiger beetles, 123-47
Tingis, 105
  ampliata, 108
Toad bugs, 225
Tobacco budworm, 151
Tobacco hornworm, 156-57, 163
Torymus, 451
  bacchardis, 452
  capite, 453
  koebelei, 453
Transduction mechanisms, 39-58
Transepithelial currents, 44-50
Transmission of onchocerciasis, 344-46, 351-53, 355-57
Transovarial transmission, 176-78
Trialeurodes vaporariorum, 242-44, 248-49, 253, 256, 259
Triatoma mazzottii, 229
Trichocylliba, 401
Trichogramma, 284, 289, 451-52
  pretiosum, 452-53
Trichoplusia ni, 151-52, 157, 163, 312, 375
Trichopoda
  pennipes, 219
  plumipes, 228
Trichorhyssemus, 423
Trichosirocalus, 108
Tricondyla, 126
  cyanea, 138
  cyanipes, 138
Tricorythodes
  atratus, 517
  minutus, 517
Tricorythus, 513

Tropilaelaps clareae, 395
Trypargilum politum, 453
Tsetse flies, 153-54, 160
Tuckerella, 423
Tullbergia, 423
Twospotted lady beetle, 323
Twospotted spider mite, 375
Tydeus, 423
Tympanic organs, 60-62, 64-65
Typhlocyba pomaris, 453
Typhlodromus pyri, 381
Tyrophagus, 423

U

Unionicola, 487, 489, 491
  crassipes, 494
Urophora, 105, 108, 114-15
  affinis, 117
  cardui, 107, 112
  quadrifasciata, 117
  sirunaseva, 114
  stylata, 107, 114
Uropoda orbicularis, 403
Uropodella laciniata, 401

V

Varroa, 401
  jacobsoni, 395
Vectors
  of onchocerciasis, 337-66
  of phleboviruses, 169-81
  and systematics, 285-86
Vedalia beetle, 369
Venturia, 452
Vidia concellaria, 403, 407
Vinblastine, 52
Vitellins, 310-11
Vitellogenins, 298, 304, 310-12

W

Wandesia, 489
Water boatmen, 225
  and parasitic mites, 497-98, 500-3
Water mites, 487-507
Water striders, 226, 325
  and parasitic mites, 500-4
Western spruce budworm, 83, 85, 87-89, 92-94, 96-98
Wheel bugs, 222
Wing development, 8, 9
Winter moth, 369, 457, 460-61

X

Xanthotera, 470
Xylocopa, 402-3
Xyphosia, 105, 108, 116
  miliaria, 107, 111

Y

Yellow-fever mosquito, 153-54

Z

Zicrona, 220
Zoogeography and systematics, 277-79
Zygoribatula, 423